

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	44656	load\$4 near5 ((code adj image) microcode (embedded adj code) instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 14:04
L2	8	(new adj (code adj image)) near5 (old adj (code adj image))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 14:04
L3	2	(L1 same L2).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 14:05
L4	7811	new adj ((code adj image) microcode (embedded adj code) instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 14:05
L5	1164	(old existing present) adj ((code adj image) microcode (embedded adj code) instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 14:05
L6	514	load\$4 near3 L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 14:05
L7	35	(overlay\$4 replac\$5 writ\$4 reworit\$4 overwrit\$4) near5 L4 near5 L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 14:05
L8	1	(L6 same L7).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 14:06
			US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			

EAST Search History

L9	31030	updat\$4 near3 ((code adj image) microcode (embedded adj code) instruction\$1 application\$1 applet\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 14:06
L10	149	L9 near5 (communication\$1 near3 (module\$1 adapter\$1 mean\$1 device\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 14:06
L11	1348	713/002,001,100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 14:06
L12	0	(L10 and L11).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 14:06
L13	669	(locat\$4 load\$4) near3 (new adj ((code adj image) microcode (embedded adj code) instruction\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 14:09
L14	53746	(overlay\$4 replac\$5 writ\$4 rewrit\$4 overwrit\$4) near5 ((code adj image) microcode (embedded adj code) instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 14:09
L15	2	(L14 near5 L13).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 14:10
L16	44533	(old first 1st native) near2 ((code adj image) microcode (embedded adj code) instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 14:15

EAST Search History

L17	42146	(new second 2nd) near2 ((code adj image) microcode (embedded adj code) instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 14:15
L18	262	L16 near5 (compatible incompatble difference\$1 flaw\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 14:15
L19	19	(L17 near4 L18).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 14:23
L20	156083	(chen concoran kalos padilla).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 14:24
L21	0	(chen and concoran and kalos and padilla).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 14:24
S1	36021	load\$4 near5 ((code adj image) microcode (embedded adj code) instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/15 07:44
S2	3	S1 near5 (memory adj initializ\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 11:08
S3	0	S2 with overlay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 10:11

EAST Search History

S4	7	(new adj (code adj image)) near5 (old adj (code adj image))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 10:14
S5	5	S1 same S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 14:04
S6	6846	new adj ((code adj image) microcode (embedded adj code) instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 08:31
S7	222	old adj ((code adj image) microcode (embedded adj code) instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 07:01
S8	1007	(old existing present) adj ((code adj image) microcode (embedded adj code) instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 07:01
S9	454	load\$4 near3 S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 07:01
S10	29	(overlay\$4 replac\$5 writ\$4 rewrit\$4 overwrit\$4) near5 S6 near5 S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 08:31
S11	3	S9 same S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 14:05

EAST Search History

S12	24388	updat\$4 near3 ((code adj image) microcode (embedded adj code) instruction\$1 application\$1 applet\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 07:58
S13	111	S12 near5 (communication\$1 near3 (module\$1 adapter\$1 mean\$1 device\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 08:01
S14	1	S13 same S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 08:00
S15	1104	713/002,001,100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 08:00
S16	0	S13 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 14:06
S17	15	S13 same memor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 08:17
S18	155272	communicat\$7 adj (device\$1 module\$1 mean\$1 adapter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 10:08
S19	2167	S18 near5 ((code adj image) microcode (embedded adj code) instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/15 07:45

EAST Search History

S20	533	S19 near5 (load\$4 read\$4 writ\$4 feed\$4 stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 08:20
S21	34	S20 near5 (new old native 1st first second 2nd)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 08:21
S22	596	(locat\$4 load\$4) near3 (new adj ((code adj image) microcode (embedded adj code) instruction\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 08:29
S23	1	S22 near5 ((initial\$7 start\$4) near3 memor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 08:30
S24	45539	(overlay\$4 replac\$5 writ\$4 rewrit\$4 overwrit\$4) near5 ((code adj image) microcode (embedded adj code) instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 08:32
S25	32	S24 near5 S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 14:09
S26	6846	new adj ((code adj image) microcode (embedded adj code) instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 10:08
S27	24388	updat\$4 near3 ((code adj image) microcode (embedded adj code) instruction\$1 application\$1 applet\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 10:08

EAST Search History

S28	111	S27 near5 (communication\$1 near3 (module\$1 adapter\$1 mean\$1 device\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 10:08
S29	1	S28 same S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 10:08
S30	155272	communicat\$7 adj (device\$1 module\$1 mean\$1 adapter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 10:09
S31	7622	S30 near5 memor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 10:09
S32	719	S31 near5 ((code adj image) microcode (embedded adj code) instruction\$1 application\$1 applet\$1 code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 10:12
S33	45539	(overlay\$4 replac\$5 writ\$4 rewrit\$4 overwrit\$4) near5 ((code adj image) microcode (embedded adj code) instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 10:28
S34	8	S32 with S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 10:12
S35	1067	(overlay\$4 replac\$5 writ\$4 rewrit\$4 overwrit\$4) near5 ((code adj image) microcode (embedded adj code) instruction\$1) near5 (old 1st first) near3 (new 2nd second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 10:30

EAST Search History

S36	105	S35 with (adapter\$1 device\$1 module\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 10:31
S37	1104	713/002,001,100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 10:31
S38	0	S36 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 10:31
S39	50	S36 same memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 10:32
S40	3	S39 same updat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 10:32
S41	2	S39 same fastload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 10:51
S42	2	"6990577".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 11:09
S43	2	"6175919".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 13:09

EAST Search History

S44	21	("4270205" "5321840" "5325529" "5388267" "5519843" "5522076" "5535357" "5535419" "5579522" "5603056" "5606662" "5675748" "5727207" "5734898" "5752042" "5778070" "5826015" "5960445" "5964873" "6009524" "6026016").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/11 13:23
S45	1226	(upgrad\$4 updat\$4) near3 (bios (boot adj code) (code adj image) microcode (embedded adj code))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/11 13:25
S46	820	S45 same (memory RAM ROM)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/11 13:26
S47	161	S46 same (replac\$4 overla\$5)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/11 13:26
S48	1104	713/002,001,100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 13:26
S49	13	S47 and S48	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/11 13:26
S50	39543	load\$4 near5 ((code adj image) microcode (embedded adj code) instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 17:20
S51	8	(new adj (code adj image)) near5 (old adj (code adj image))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 17:20
S52	6	S50 same S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 17:20
S53	7262	new adj ((code adj image) microcode (embedded adj code) instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 17:20

EAST Search History

S54	1079	(old existing present) adj ((code adj image) microcode (embedded adj code) instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 17:20
S55	482	load\$4 near3 S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 17:20
S56	33	(overlay\$4 replac\$5 writ\$4 rewrit\$4 overwrit\$4) near5 S53 near5 S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 17:20
S57	4	S55 same S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 17:20
S58	26953	updat\$4 near3 ((code adj image) microcode (embedded adj code) instruction\$1 application\$1 applet\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 17:20
S59	124	S58 near5 (communication\$1 near3 (module\$1 adapter\$1 mean\$1 device\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 17:20
S60	1212	713/002,001,100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 17:20
S61	0	S59 and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 17:20

EAST Search History

S62	627	(locat\$4 load\$4) near3 (new adj ((code adj image) microcode (embedded adj code) instruction\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 17:20
S63	48877	(overlay\$4 replac\$5 writ\$4 rewrit\$4 overwrit\$4) near5 ((code adj image) microcode (embedded adj code) instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 17:20
S64	36	S63 near5 S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 17:20
S65	171270	communicat\$7 adj (device\$1 module\$1 mean\$1 adapter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 17:20
S66	8543	S65 near5 memor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 17:20
S67	831	S66 near5 ((code adj image) microcode (embedded adj code) instruction\$1 application\$1 applet\$1 code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 17:20
S68	48877	(overlay\$4 replac\$5 writ\$4 rewrit\$4 overwrit\$4) near5 ((code adj image) microcode (embedded adj code) instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 17:20
S69	8	S67 with S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 17:20
S70	1342	(upgrad\$4 updat\$4) near3 (bios (boot adj code) (code adj image) microcode (embedded adj code))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 17:20

EAST Search History

S71	897	S70 same (memory RAM ROM)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 17:20
S72	172	S71 same (replac\$4 overla\$5)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 17:20
S73	1212	713/002,001,100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 17:20
S74	13	S72 and S73	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 17:20
S75	57743	(new old native first 1st second 2nd) near2 ((code adj image) microcode (embedded adj code) instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/15 07:53
S76	413	S75 near5 (compatible incompatble difference\$1 flaw\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/15 07:53
S77	15	S76 near5 (correct\$4 fix\$4 reconcil\$4 adjust\$4 repair\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/15 07:54
S78	47855	(new first 1st) near2 ((code adj image) microcode (embedded adj code) instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/15 07:52
S79	49522	(new first 1st native) near2 ((code adj image) microcode (embedded adj code) instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/15 07:57
S80	30626	(old second 2nd) near2 ((code adj image) microcode (embedded adj code) instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/15 07:57

EAST Search History

S81	299	S79 near5 (compatible incompatble difference\$1 flaw\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/15 09:38
S82	46	S81 near4 S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/15 07:56
S83	2	S82 near5 (correct\$4 fix\$4 reconcil\$4 adjust\$4 repair\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/15 07:55
S84	1	S82 same memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/15 07:56
S85	41964	(old first 1st native) near2 ((code adj image) microcode (embedded adj code) instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/15 07:57
S86	39755	(new second 2nd) near2 ((code adj image) microcode (embedded adj code) instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/15 07:58
S87	254	S85 near5 (compatible incompatble difference\$1 flaw\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/15 07:58
S88	47	S86 near4 S87	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/31 14:15

EAST Search History

S89	1	S88 same memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/15 07:59
S90	8	S85 near5 (still adj (execut\$4 run\$4 process\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/15 08:00
S91	102	(S79 near5 (compatible incompatble difference\$1 flaw\$1)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/15 09:38
S92	18	(S86 near4 S87).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/15 10:43
S93	4	"20040044997" "6658659".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/15 10:43
S94	42012	(old first 1st native) near2 ((code adj image) microcode (embedded adj code) instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 08:18
S95	8	S94 near5 (still adj (execut\$4 run\$4 process\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 08:18